NATO INTERCONNECTING PONTOONS

4.2M X 2.1M Fully Expandable Pontoon System



NATO Modular Floats

Main Dimensions Per Floa

Length Weight Length Weight Breadth Depth 4.2m Mid Section 1660 kg (based 4mm) 4.6m Swim End Section 1680 kg (based 4mm) 2.1m 750mm

Capacity

Load Capacity

2650 kg Per Float

Standard Equipment

Pontoon Units to Suit Application Coupling Pins & C Clips Mobilisation & Demobilisation In/Out of Water

ptional Equipment

Tugs Safety Boats Mooring Bollards Spud Legs and Spud Wells Handrails Cranes & Power Packs & Operators Specialist Rigging & Lifting Equipment



NATO INTERCONNECTING PONTOONS

4.2M X 2.1M Fully Expandable Pontoon System



Typical Uses

日服

Piling Platform Low Freeboard Access Maintenance Work on Water Floating Dock Temporary Bridges Bridge Access for Inspections & Maintenance Floating Event Platform River Transportation Dredging



NATO INTERCONNECTING PONTOONS

4.2M X 2.1M Fully Expandable Pontoon System

Additional Features

Crane systems can be mobilised onto pontoon units quickly via multiple bolted connections into deck.

All cranes are provided with a stability book and load calculations for all planned lifts and once the deck crane is installed it can then be used to self load other project equipment and set up working deck.

Crane systems are supplied with qualified operators.





